



The Tall Stand

TOTAL Inc. VAT:
\$1,089.00

*Base price, not including any custom options.

Product Images





Description

This innovative tall and narrow stand deters youths from sitting and congregating around it. The Tall Stand has parking badges and reflective bands to aid the visually impaired.

Specification

- Available in mild steel or stainless steel grade 304, satin polished finish.
- This bike stand can help contribute towards gaining 2x ENE8 Cycle storage credits when used in the appropriate situation, under the Code for Sustainable Homes.
- Overground (boltdown) fixing or Underground (flanged) fixing.
- Underground Fixing dimensions: 550mm wide x 1950mm tall. Baseplate: 60mm x 60mm. 50mm tube o/d diameter, 2.5mm wall thickness. Approx weight: 18Kg.
- Overground Fixing dimensions: 550mm wide x 1450mm tall. Baseplate: 150mm x 150mm with 8 M12 size holes total. 50mm tube o/d diameter, 2.5mm wall thickness. Approx weight: 16Kg.

Fixing bolts: 8 M10 RAWL Bolts required per bike stand (No bolts required for concrete in option)

Finishing: Available in galvanised, powder coated RAL code (enter code) or stainless steel.

Code: BS42 2130

Delivery time: typically 10 working days

Additional Information

Best Sellers M2	No
-----------------	----

Additional Options

Choose Fixing	Underground	\$0.00
	Overground	\$26.62
	Overground fixing including bolts	\$47.92
Choose Finish	Mild steel, Galvanised	\$0.00
	Mild steel, Galvanised & Polyester powder coated black	\$26.62

