

Cambridge Bike Shelter

TOTAL Inc. VAT: \$7,074.87

*Base price, not including any custom options.

Product Images

BIKEDOCKSOLUTIONS THE MANUFACTURING STANDARD











Description

A superb looking and strong cycle shelter for all environments, the Cambridge is a free-standing single-sided solution for all locations. The frame is of robust, galvanised steel tube and section. Roof is clear solid polycarbonate finish. Multi wall polycarbonate is available on request. 8 per flanged extension bay. All galvanising to BS EN ISO 1461.

Specification

- Cambridge uprights of steel tube 76mm diameter x 3.2mm thick. Roof purlins, supports & connection are made of heavy duty steel
- Length: 3050mm overall 3150mm centres
- Depth: 2670mm
- Height: Front 2144mm
- Rear 1346mm
- Weight: Main bay polycarbonate roof 333kg
- Weight: Extension bay polycarbonate roof 253kg
- Space for 8 bikes in Shelter and 8 bikes in each extension
- Bike rack is not included

Installation

Supplied in component form for easy installation. Cladding/Roofing needs to be drilled/fixed on site. Sheeting is clamped to frame using clamping strips. Legs can be flanged for bolting down to a suitable concrete base (400mm cube minimum) or with ragged ends for casting into the ground.

Delivery time:14 - 21 working days

Additional Information

Best Sellers M2 No

Additional Options

Extension Bay	No Extension	\$0.00
	With Galvanised Roof	\$2,757.94
Choose Finish	Powder Coated	\$0.00
	Galvanised	\$266.20
	Galvanised and Polyester Powder Coated RAL Colour	\$266.20
RAL Colour Code	1023 Traffic Yellow	\$0.00
	3000 Flame Red	\$0.00
	5002 Ultramarine Blue	\$0.00
	5017 Traffic Blue	\$0.00
	6005 Moss Green	\$0.00
	7015 Slate Grey	\$0.00
	6024 Traffic Green	\$0.00
	9005 Jet Black	\$0.00
	9010 Pure White	\$0.00
	Custom Colour	\$266.20
Custom Colour		\$0.00
Bolts Pack - Fixing and Assembly	None	\$0.00
	Bolts Pack - Fixing and Assembly	\$53.24
Bike Stands	None	\$0.00
	4 Galvanised Bike Stands, to park 8 bikes	\$199.65

